

Material Safety Data Sheet POWER STEERING FLUID

Prepared according to 29CFR 1910.1200.

1 Chemical Product and Company Identification

Joe Gibbs Driven Racing Oil 13415 Reese Blvd., West Huntersville, NC 28078 Phone: (866) 611-1820

Product Trade NamePOWER STEERING FLUIDCAS NumberNot applicable for mixtures.

SynonymsNone.Generic Chemical NameMixture.Product TypeMultipurpose.Preparation/Revision Date21 August 2009

Transportation Emergency

Oral

FOR TRANSPORT EMERGENCY call CHEMTREC: (+1) 703-527-3887 (outside the

Phone No. U.S.), 1-800-424-9300 (in the U.S.) **MSDS No.** 28873485-3321128-3019920-102103

2 Hazards Identification

Appearance Pale yellow liquid.

Odor Mild Principal Hazards Caution.

• May cause eye irritation.

See Section 11 for complete health hazard information.

3	Composition/Information on Ingredients	
Hazardous Ingredients	This material contains no ingredients requiring disclosure under regulatory hazard criteria for this jurisdiction. See Section 11 for additional details.	
4	First Aid Measures	
Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.	
Skin	Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse.	
Inhalation	Remove exposed person to fresh air if adverse effects are observed.	

DO NOT INDUCE VOMITING. Get immediate medical attention.

Additional Information Note to physician: Treat symptomatically.

5 Fire Fighting Measures

Flash Point 180 °C, 356 °F PMCC (Typical)

Extinguishing Media CO2, dry chemical, or foam. Water can be used to cool and protect exposed material.

Firefighting Procedures Recommend wearing self-contained breathing apparatus. Water may cause splattering. Use

water to cool containers exposed to fire.

Unusual Fire & Explosion

Hazards

None known.

6 Accidental Release Measures

Spill Procedures Personal Protective Equipment must be worn, see Personal Protection Section for PPE

recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways, dispose of in accordance with all federal, state and local environmental regulation. Pick up free liquid for recycle and/or disposal. Residual

liquid can be absorbed on inert material.

7 Handling and Storage

Pumping Temperature

Maximum Handling

Temperature

Not determined.

Not determined.

Handling Procedures Keep containers closed when not in use. Do not discharge into drains or the environment,

dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Wash thoroughly after handling. Empty container contains

product residue which may exhibit hazards of product.

Maximum Storage

Temperature

Not determined.

Storage Procedures

No special storage precautions required.

Loading Temperature Not determined.

8 Exposure Controls/Personal Protection

Exposure Limits None established

Other Exposure Limits Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of

5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.

Engineering Controls Use with adequate ventilation.

Gloves Procedures Neoprene. Polyvinyl alcohol. Note: polyvinyl alcohol gloves are water soluble and should

not be used when there is potential for water contact.

Eye Protection Safety Glasses.

Respiratory Protection Use NIOSH/MSHA approved respirator with a combination organic vapor and high

efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for

large spill clean-up sites.

Clothing Recommendation Long sleeve shirt is recommended. Launder contaminated clothing before reuse.

9 Physical and Chemical Properties

Flash Point 180 °C, 356 °F PMCC (Typical)

Upper Flammable LimitNot determined.Lower Flammable LimitNot determined.Autoignition PointNot determined.

Explosion Data Material does not have explosive properties.

Vapor Pressure
pH
Not determined.
Specific Gravity
0.83 (15.6 °C)
Bulk Density
Not determined.
Water Solubility
Insoluble.

Percent Solid Not determined.
Percent Volatile Not determined.
Volatile Organic Compound Not determined.
Vapor Density Not determined.
Evaporation Rate Not determined.

Odor Mild

AppearancePale yellow liquid.Viscosity24 Centistokes (40 °C)5.3 Centistokes (100 °C)

Odor ThresholdNot determined.Boiling PointNot determined.Pour Point Temperature< -40 °C, < -40 °F</th>Melting / Freezing PointNot determined.

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

10 Stability and Reactivity

Stability Material is normally stable at moderately elevated temperatures and pressures.

Decomposition TemperatureNot determined.IncompatibilityOxidizing agents.PolymerizationWill not occur.

Thermal Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete

combustion.

Conditions to Avoid Not determined.

11 Toxicological Information

-- ACUTE EXPOSURE --

Eye Irritation May cause eye irritation. Does not meet Canadian D2B or EU R36 criteria. Based on data

from components or similar materials.

Skin Irritation Not expected to be a primary skin irritant. Based on data from components or similar

materials. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

Respiratory Irritation If material is misted or if vapors are generated from heating, exposure may cause irritation of

mucous membranes and the upper respiratory tract. Based on data from components or similar materials. If product is heated or a mist is generated, it may cause irritation of the

upper respiratory tract.

Dermal Toxicity The LD50 in rabbits is > 2000 mg/Kg. Based on data from components or similar materials.

Inhalation Toxicity No data available to indicate product or components may be a toxic inhalation hazard. **Oral Toxicity**

The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials.

Dermal Sensitization No data available to indicate product or components may be a skin sensitizer.

Inhalation Sensitization No data available to indicate product or components may be respiratory sensitizers.

-- CHRONIC EXPOSURE --

Chronic Toxicity No data available to indicate product or components present at greater than 1% are chronic

health hazards.

Carcinogenicity This product contains mineral oils which are considered to be severely refined and not

considered to be carcinogenic under IARC. All of the oils in this product have been

demonstrated to contain less than 3% extractables by the IP 346 test.

No data available to indicate product or any components present at greater than 0.1% are Mutagenicity

mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate either product or components present at greater than 0.1% that

may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater than 0.1% may

cause birth defects.

-- ADDITIONAL INFORMATION --

Other No other health hazards known.

12 **Ecological Information**

-- ENVIRONMENTAL TOXICITY --

The acute LC50 is 10 - 100 mg/L based on component data. Freshwater Fish Toxicity

Freshwater Invertebrates

Toxicity

The acute EC50 is 10 - 100 mg/L based on component data.

Algal Inhibition Not determined. **Saltwater Fish Toxicity** Not determined.

Saltwater Invertebrates

Toxicity

The acute LC50 is 10 - 100 mg/L based on component data.

Bacteria Toxicity Not determined. **Miscellaneous Toxicity** Not determined.

-- ENVIRONMENTAL FATE --

Biodegradation At least 25% of the components in this product show limited biodegradation based on OECD

301-type test data.

Bioaccumulation Less than 1.0% of the components potentially bioconcentrate, based on octanol/water

coefficients.

Soil Mobility Not determined.

13 **Disposal Considerations**

Waste Disposal This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261.

Treatment, storage, transportation, and disposal must be in accordance with applicable

Federal, State/Provincial, and Local regulations.

14 **Transport Information**

ICAO/IATA I Not regulated. ICAO/IATA II Not regulated. **IMDG** Not regulated. **IMDG EMS Fire** Not applicable. **IMDG EMS Spill** Not applicable. IMDG MFAG Not applicable. Not determined. MARPOL Annex II **USCG Compatibility** Not determined. U.S. DOT Bulk Not regulated. U.S. DOT Non-Bulk Not regulated. DOT NAERG Not applicable. TDG Bulk Not regulated. **TDG Non-Bulk** Not regulated. Mexico Not regulated. Mexico Non-Bulk Not regulated.

Bulk Quantity 85000 liters, 22457 gal. **Non-Bulk Quantity** 207.8 liters, 55 gal.

Review classification requirements before shipping materials at elevated temperatures.

15	Regulatory Information

-- Global Chemical Inventories --

USA All components of this material are on the US TSCA Inventory or are exempt.

Other TSCA Reg. None known.

EU All components comply with the EU 7th Amendment and are approved for EU sales.

Lubrizol must maintain records of all imports of this product into the EU. Third party

importers are asked to report every import to The Lubrizol PSCD Manager

(Europe), Hazelwood, Derby DE56 1QN, UK.

JapanAll components are in compliance with the Chemical Substances Control Law of Japan.AustraliaAll components are in compliance with chemical notification requirements in Australia.

New Zealand May require notification before sale under New Zealand regulations.

Canada All components are in compliance with the Canadian Environmental Protection Act and are

present on the Domestic Substances List.

Switzerland All components are in compliance with the Environmentally Hazardous Substance Ordinance

in Switzerland. Lubrizol must maintain records of all imports of this product into

Switzerland. Third party importers are asked to report every import to The Lubrizol PSCD

Manager (Europe), Hazelwood, Derby DE56 1QN, UK.

Korea All components are in compliance in Korea.

Philippines All components are in compliance with the Philippines Toxic Substances and Hazardous and

Nuclear Wastes Control Act of 1990 (R.A. 6969).

China This product may be imported to China only by Lubrizol China.

-- Other U.S. Federal Regulations --

SARA Ext. Haz. Subst. This product does not contain greater than 1.0% of any chemical substance on the SARA

Extremely Hazardous Substances list.

SARA Section 313 This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic

substance) of any chemical substances listed under SARA Section 313.

SARA 311 Classifications

Acute Hazard	No
Chronic Hazard	No

Fire Hazard	No
Reactivity Hazard	No

CERCLA Hazardous

Substances

None known.

FDA Approval

Not applicable.

-- State Regulations --

Cal. Prop. 65

This product contains the following chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components: < 0.05 ppm

cadmium < 0.05 ppm lead < 0.05 ppm arsenic

-- Product Registrations --

U.S. Fuel Registration

Not applicable.

U.S. Dept of Agriculture

This product has not been filed with the USDA to support H2 approvals.

NSF Nonfood Compounds

Registration

This product has not been filed with the NSF to support H1 or H2 approvals.

Finnish Registration

Number

Not Registered

Swedish Registration

Number

Not Registered

Norwegian Registration

Number

Not Registered

Danish Registration

Number

Not Registered

Swiss Registration Number Not Registered
Italian Registration Number Not Registered
Korean Registration

Number

Not Registered

-- Other / International --

TDG Regulated Limit. None known.

16	Other Information

US NFPA Codes

Health	Fire	Reactivity	Special
1	1	0	N/E
		·	

(N/E) - None established

HMIS Codes

Health	Fire	Reactivity
0	1	0

Precautionary Labels

Caution.

• May cause eye irritation.

Revision Indicators

Section: 2 Principal hazards. Changed: 31 March 2009 Section: 3 Hazardous ingredients. Changed: 31 March 2009 Section: 8 Hazardous ingredients. Changed: 31 March 2009 Section: 8 Respiratory protection. Changed: 30 March 2009 Section: 8 Ventilation procedures. Changed: 19 November 2008 Section: 9 Odor threshold. Changed: 19 November 2008 Section: 9 Percent volatile. Changed: 19 November 2008 Section: 11 Oral toxicity. Changed: 18 May 2009

POWER STEERING FLUID

Section: 15 China Changed: 18 May 2009
Section: 15 Japan meti. Changed: 26 March 2009
Section: 16 HMIS codes. Changed: 30 March 2009
Section: 16 Principal hazards. Changed: 31 March 2009

Users Responsibility/Disclaimer of Liability: The information set forth herein is based on our current knowledge, and is intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.